



Procedure/Treatment/Home Care

Si usted desea esta información en español, por favor pídasela a su enfermero o doctor.

#392

Help a Choking Infant

up to 1 Year Old

If your infant is awake, but your baby cannot cough, cry, or breathe and is turning blue:

- Sandwich your baby between your two arms
- Keep your baby's head pointing down to the floor
- Support your baby's head by holding the jaw
- 1. Give 5 back blows between shoulders with the heel of your hand.
- 2. **Turn your baby over**. Keep your baby's head pointing down to the floor while you turn your baby.
- 3. **Give 5 chest thrusts.** Put 2 fingers in the center of the chest, below the nipple line.

Repeat steps until your baby passes out or object comes out.



Step 1: 5 back blows



Step 2: turn baby over



Step 3: 5 chest thrusts

If your infant chokes and becomes unconscious:

If your infant choked, passed out and cannot breathe, you need to do **CPR** (cardiopulmonary resuscitation). If someone is with you, have him or her call 911. Before staring CPR, put your infant on a hard surface.

Start CPR

- 1. Put 2 fingers of one hand just below the nipple line. Do not put your fingers over the very bottom of the breastbone.
 - Push chest down 1-1½ inches.
 - Give 30 chest pushes. Push hard and fast.
 - After each push, let the chest go back to the normal position.



Give 30 chest pushes.

2. Check baby's mouth for an object.

- If you see an object, take it out of your infant's mouth.
- If you do not see an object, do not put your fingers in your infant's mouth.



Check baby's mouth for object

3. Give 2 breaths, each lasting one second.

- Keep giving sets of 30 chest pushes to 2 breaths.
- Look in your infant's mouth for an object every time you open the airway to give breaths.

If alone, call **911 or EMS** after 5 sets of 30 pushes and 2 breaths.

After you call, keep giving CPR in sets of 30 pushes and 2 breaths until your infant moves or help takes over.



Give 2 breaths, each lasting 1 second.

Now that you've read this:

•	nr nurse or doctor on a doll how you would help a choking infant that e. (Check when done.)
•	or nurse or doctor on a doll how you would help a choking infant who mes unconscious. (Check when done.)
	If you have any questions or concerns, ☐ call your child's doctor or ☐ call

is

If you want to know more about child health and illness, visit our library at The Emily Center at Phoenix Children's Hospital 1919 East Thomas Road Phoenix, AZ 85016 602-933-1400 866-933-6459

www.phoenixchildrens.org

Facebook: facebook.com/theemilycenter

Twitter: @emilycenter

Pinterest: pinterest.com/emilycenter

Disclaimer

The information provided at this site is intended to be general information, and is provided for educational purposes only. It is not intended to take the place of examination, treatment, or consultation with a physician. Phoenix Children's Hospital urges you to contact your physician with any questions you may have about a medical condition.

#392 Draft in Family Review
Written by Sharon Kobashigawa,, BSN, RN.
Updated by Marjorie Abele, MSN, RN and Nicki Mitchell MSN, RN
Illustrated by Dennis Swain and Irene Takamizu





Si usted desea esta información en español, por favor pídasela a su enfermero o doctor. #392

Help a Choking Infant up to 1 Year Old

Name of Health Care Provider:							
Date returned: □ o	lb						
Family Review of Handout							
Health care providers: Families: Please let							
Would you say this handout is hard	to read?		Yes		No		
eas	sy to read?		Yes		No		
Please circle the parts of the handout that were hard to understand.							
Would you say this handout is interest	esting to read?		Yes		No		
Why or why not?							
Would you do anything differently a this handout?	fter reading		Yes		No		
If yes, what?							
After and in this board out do you b							
After reading this handout, do you have questions about the subject?	•		Yes		No		
If yes, what?							

Is there anything you don't like about th	e drawings?	☐ Yes	☐ No			
If yes, what?						
What changes would you make in this heasier to understand?	nandout to make it be	etter or				
Please return your review of this handout to your nurse or doctor or send it to the address below.						
The Emily Center Health Education Specialist Phoenix Children's Hospital 1919 East Thomas Road Phoenix, AZ 85016-7710	602-933-1395					

Thank you for helping us!